

XENON

SINGLE SCREEN

For a 65 to 90-inch screen



DIGITAL SIGNAGE


Number of screen : 1 screen

Screen size : 60 to 90"





Installation : floor stand

Finish : brushed stainless steel

Part number :
XENONS6090DS



Screen simulation 70"



XENON

SINGLE SCREEN

For a 75 to 100-inch screen



DIGITAL SIGNAGE

Number of screen : 1 screen

Screen size : 75 to 100"





Installation : floor stand

Finish : brushed stainless steel

Part number :
XENONS75100DS



Screen simulation 84"



SINGLE SCREEN

• SPECIFICATIONS

Screen size	For a 60 to 90" screen	For a 75 to 100" screen
Part numbers	XENONS6090DS	XENONS75100DS
Base	Steel with brushed stainless steel casing	
Base thickness	15 mm	
Casters / Teflon pads	On Teflon pads	
Base dimensions (w x d x h)	1107 x 660 x 22 mm	
Column	Brushed stainless steel	
Column back cover	Back in black ecofriendly acrylic glass	
Column dimensions (w x d x h)	300 x 150 x 1800 mm	
Screen fixing	Black painted steel with fixing kit	
Screen fixing size (VESA)	200 x 200 mm to 800 x 400 mm	200 x 200 mm to 1000 x 600 mm
Screen axis with adjustable height	1400 mm to 1815 mm	1400 mm to 1700 mm
Maximum screen weight	85 kg	130 kg
Stand weight	130 kg	145 kg

• OPTIONS

Universal codec holder Behind the screen. Depth from 10 mm to 95 mm	P/N: SCUUV12
Casters and skirt to cover up ø 35 mm	P/N: Skirtwheels/Xenon
Base on heavy load casters ø 100 mm	P/N: Largewheels/Xenon
Heavy load casters and skirt to cover up ø 100 mm	P/N: Largeskirtwheels/Xenon